

对拉杆系统 15.0

镀锌对拉杆 15.0mm 0.50m	0,72	581821000
镀锌对拉杆 15.0mm 0.75m	1,1	581822000
镀锌对拉杆 15.0mm 1.00m	1,4	581823000
镀锌对拉杆 15.0mm 1.25m	1,8	581826000
镀锌对拉杆 15.0mm 1.50m	2,2	581827000
镀锌对拉杆 15.0mm 1.75m	2,5	581828000
镀锌对拉杆 15.0mm 2.00m	2,9	581829000
镀锌对拉杆 15.0mm 2.50m	3,6	581852000
镀锌对拉杆 15.0mmm	1,4	581824000
普通对拉杆 15.0mm 0.50m	0,73	581870000
普通对拉杆 15.0mm 0.75m	1,1	581871000
普通对拉杆 15.0mm 1.00m	1,4	581874000
普通对拉杆 15.0mm 1.25m	1,8	581886000
普通对拉杆 15.0mm 1.50m	2,1	581876000
普通对拉杆 15.0mm 1.75m	2,5	581887000
普通对拉杆 15.0mm 2.00m	2,9	581875000
普通对拉杆 15.0mm 2.50m	3,6	581877000
普通对拉杆 15.0mm 3.00m	4,3	581878000
普通对拉杆 15.0mm 3.50m	5,0	581888000
普通对拉杆 15.0mm 4.00m	5,7	581879000
普通对拉杆 15.0mm 5.00m	7,2	581880000
普通对拉杆 15.0mm 6.00m	8,6	581881000
普通对拉杆 15.0mm 7.50m	10,7	581882000
普通对拉杆 15.0mmm	1,4	581873000
Tie rod 15.0mm		



DIN
18216

翼形螺母 15.0	0,31	581961000
-----------	------	-----------

Wing nut 15.0



镀锌
长度: 10 cm
高度: 5 cm
对边宽度: 27 mm

DIN
18216

拉结盘 15.0	1,1	581966000
----------	-----	-----------

Super plate 15.0



镀锌
高度: 6 cm
直径: 12 cm
对边宽度: 27 mm

DIN
18216

六角螺母 15.0	0,23	581964000
-----------	------	-----------

Hexagon nut 15.0



镀锌
长度: 5 cm
对边宽度: 30 mm

DIN
18216

锚固盘 12/12	1,3	581930000
-----------	-----	-----------

Anchor plate 12/12



镀锌

DIN
18216

锚固盘 15/20	1,8	581929000
-----------	-----	-----------

Anchor plate 15/20




镀锌

DIN
18216

角部锚固盘 12/18	1,5	581934000
-------------	-----	-----------

Angle anchor plate 12/18




镀锌

DIN
18216

Top50 锚定螺母 15.0	3,8	580073000
-----------------	-----	-----------

Top50 form-tie nut 15.0



镀锌
高度: 25 cm

安装盘 15.0	0,15	581692000
----------	------	-----------


Fixing plate 15.0



镀锌
直径: 10 cm

定位锥 15.0 5cm	0,43	581969000
--------------	------	-----------


Positioning cone 15.0 5cm



镀锌
长度: 11 cm
直径: 3 cm
工具: 定位锥扳手 15.0 DK
请遵守安装说明!

爬升锥 15.0 5cm	0,97	581980000
--------------	------	-----------

Climbing cone 15.0 5cm



镀锌
长度: 17 cm
直径: 6 cm
对边宽度: 41 mm
请遵守安装说明!

防水套筒 15.0 5cm	0,008	581990000
---------------	-------	-----------

Sealing sleeve 15.0 5cm



桔黄色
长度: 10 cm
直径: 3 cm

猪尾巴筋 15.0 5cm	1,7	581972000
---------------	-----	-----------

She-bolt 15.0 5cm



镀锌
长度: 76 cm
对边宽度: 24 mm
请遵守安装说明!

DIN
18216

猪尾巴筋 15.0 5cm 1.20m	2,5	581832000
---------------------	-----	-----------

She-bolt 15.0 5cm 1.20m



镀锌
长度: 131 cm
对边宽度: 24 mm
请遵守安装说明!

DIN
18216

悬挂定位锥 15.0 5cm	0,45	581699000
----------------	------	-----------

Cantilever positioning cone 15.0 5cm








长度: 11 cm
直径: 5 cm
工具: 定位锥扳手 15.0 DK
请遵守安装说明!

防水套筒 S 15.0 5cm	0,009	581697000
-----------------	-------	-----------


Sealing sleeve S 15.0 5cm





桔黄色
长度: 11 cm
直径: 4,7 cm

清水混凝土定位锥 15.0 5cm
Fair-faced concrete positioning cone 15.0 5cm**0,46 581973000**镀锌
长度: 11 cm
直径: 4,3 cm
工具: 定位锥扳手 15.0 DK**定位盘 M30**
Positioning disk M30**0,25 581975000**镀锌
直径: 9 cm**爬升靴 15.0 5cm**
Suspension cone 15.0 5cm**0,88 581971000**镀锌
长度: 16 cm
直径: 6 cm
请遵守安装说明!**定位夹 M30**
Positioning clamp M30**0,19 581833000**镀锌
直径: 4 cm**悬挂锥 15.0 11cm**
Suspension cone 15.0 f. insulation up to 11cm**3,6 580495000**镀锌
长度: 30 cm
直径: 5 cm**锚入锥 30kN 15.0**
Screw-in cone 30kN 15.0**0,74 581895000**镀锌
长度: 15 cm**防水套筒 15.0 最大防水隔离为 11cm**
Sealing sleeve 15.0 f. insulation up to 11cm**0,05 580498000**白色
长度: 30 cm
直径: 6 cm**桥翼缘梁锚固件 30kN 15.1**
桥翼缘梁锚固件 30kN 15.0 镀锌
Bridge edge beam anchor 30kN 15.0**0,45 581896000****0,44 581890000**长度: 7 cm
请遵守安装说明!**红头螺栓 RD 28**
Cone screw RD 28**0,65 580496000**镀锌
长度: 9 cm
直径: 6 cm**打钉锥 15.0**
Nailing cone 15.0**0,02 581897000**黑色
长度: 7 cm**定位盘 RD 28**
Positioning disk RD 28**0,25 580497000**镀锌
直径: 9 cm**补洞盖 29mm**
Hole plug 29mm**0,003 581891000**灰色
直径: 3 cm**通用爬升锥 15.0**
Universal climbing cone 15.0**1,3 581977000**镀锌
长度: 13 cm
直径: 5 cm
工具: 万能锥扳手 15.0/20.0**镀锌堵头 15.0**
Zinc plug 15.0**0,20 581889000**镀锌
长度: 9,9 cm
直径: 2,9 cm
工具: 用于方头的扳手 1/2"**红头螺栓 B 7cm**
Cone screw B 7cm**0,86 581444000**红色
长度: 10 cm
直径: 7 cm
对边宽度: 50 mm**止动埋件 15.0 11.5cm**
Stop anchor 15.0 11.5cm**0,63 581868000**

未处理

防水套筒 K 15.0
Sealing sleeve K 15.0**0,03 581976000**桔黄色
长度: 12 cm
直径: 6 cm**止动埋件 15.0 16cm**
Stop anchor 15.0 16cm**0,38 581997000**

未处理


清水混凝土定位锥 MF 15.0
Fair-faced concrete positioning cone MF 15.0**1,5 581928000**镀锌
长度: 12,6 cm
直径: 5,3 cm
工具: 万能锥扳手 15.0/20.0**止动埋件 15.0 40cm**
Stop anchor 15.0 40cm**0,71 581999000**

未处理

锚固盘双头保护 15.0 20cm
Stop anchor double-ended 15.0 20cm**0,76 581820000**

未处理

可以根据特殊零部件编号 580100000 定制长度, 请提供具体组件的名称以及要求的长度 (单位: mm)。

止水装置 15.0 33cm
止水装置 S 15.0 33cm
Water stop with tie rod 15.0**1,3 581817000****1,2 581819000**

未处理

长度: 33 cm


直径: 7 cm

可以根据特殊零部件编号 580100000 定制长度, 请提供具体组件的名称以及要求的长度 (单位: mm)。

猪尾巴埋筋 15.0
Pigtail anchor 15.0**0,92 581984000**

未处理

长度: 67 cm

止水装置 G 15.0 33cm
Water stop G 15.0 33cm**0,68 581818000**


未处理

长度: 33 cm


宽度: 12 cm

高度: 12 cm

可以根据特殊零部件编号 580100000 定制长度, 请提供具体组件的名称以及要求的长度 (单位: mm)。

墙锚 15.0 15cm
Wall anchor 15.0 15cm**1,5 581893000**

镀锌

爬升靴 15.0
Suspension cone 15.0 with collar**1,4 580428000**

镀锌

长度: 16 cm

直径: 6 cm

请遵守安装说明!

纤维混凝土盖 30.7mm
纤维混凝土盖 32mm
纤维混凝土盖 45mm
纤维混凝土盖 54mm
Fibre concrete plug**0,03 581902000****0,02 581830000****0,10 581438000****0,16 581955000**

灰色

**岩石锚固铺散构件 15.0**
Rock anchor spreader unit 15.0**0,41 581120000**

镀锌


长度: 9 cm

直径: 4 cm

请遵守安装说明!

混凝土锚固锥 52mm
Concrete cone 52mm**0,19 581939000**

灰色

岩石锚固安装钢管
Rock anchor installation tube**0,85 581123000**

镀锌

长度: 50 cm

直径: 3 cm

杆件连接 15.0
Rod connector 15.0**0,49 581981000**

未处理

长度: 11 cm


直径: 3 cm

DIN
18216**可焊套筒 15.0**
Weldable coupler 15.0**0,25 581691000**

未处理

长度: 8 cm

直径: 3 cm

DIN
18216**型张拉仪 300kN**
Tensioning instrument 300kN**32,0 581815000**


镀锌

用于薄墙的可焊套筒 15.0
Weldable coupler 15.0 for sheet wall**0,75 581693000**

未处理

长度: 10 cm

高度: 13 cm

止水装置连接件 15.0
Water stop connector 15.0**0,52 581914000**

未处理


长度: 12 cm

锚固锥 15.0
Anchor cone 15.0**0,46 581967000**

黄色

长度: 11 cm

直径: 6 cm

DIN
18216**塑料管 22mm 2.50m**
Plastic tube 22mm 2.50m**0,45 581951000**

通用锥 22mm **0,005 581995000**

Universal cone 22mm



灰色
直径: 4 cm

填补盖 22mm **0,003 581953000**

Plug 22mm



灰色

套管 20cm **0,05 581907000**

套管 25cm


套管 30cm

Distancer

0,09 581908000

0,10 581909000

灰色



纤维混凝土管 22mm 0.18m **0,28 581904000**

纤维混凝土管 22mm 0.23m

纤维混凝土管 22mm 0.28m

纤维混凝土管 22mm 0.38m

纤维混凝土管 22mm 1.25m


Fibre concrete tube 22mm

0,36 581905000

0,44 581906000

0,61 581903000

1,9 581991000



纤维混凝土盖 22mm **0,02 581992000**

Fibre concrete plug 22mm



REPOXAL 2 构件粘结 **1,2 581993000**

REPOXAL two component adhesive

减径管 26/22mm **0,01 581853000**

Reducer 26/22mm



黑色

胶合板锚固保护 15.0 **0,25 580219000**

Form-ply protector 22mm



镀锌
对边宽度: 46 mm

爬锥的面板保护装置 15.0 **0,38 580220000**


Form-ply protector 32mm



对边宽度: 70 mm

锚固托架 15.0 **0,43 581835000**


Anchor holder 15.0



未处理

清洁锚锥 15.0 **0,51 581865000**


Clearance cone 15.0



黑色
蓝色
长度: 20,6 cm
直径: 7 cm
请遵守安装说明!

爬锥拆除工具 **0,67 581864000**

Clearance-cone dismantling tool



镀锌
长度: 10,7 cm
对边宽度: 24 mm

定位锥扳手 15.0 DK **0,30 580579000**

Positioning cone spanner 15.0 DK



镀锌
长度: 8 cm
对边宽度: 30 mm

埋锥扳手 15.0/20.0 **0,90 581448000**


Universal cone spanner 15.0/20.0



镀锌
长度: 9 cm
对边宽度: 50 mm

对拉杆扳手 15.0/20.0 **1,9 580594000**


Tie rod wrench 15.0/20.0



镀锌
长度: 37 cm
直径: 8 cm

自由回程式扳手 SW27 **0,49 581855000**


Friction type ratchet SW27



棘轮扳手
长度: 30 cm

套筒扳手 27 0.65m **1,9 581854000**


Box spanner 27 0.65m



镀锌

对拉钢筋承载数值显示器 300kN **12,8 581834500**

Form-tie load read-off device 300kN




镀锌

对拉杆系统 20.0

镀锌对拉杆 20.0mm 0.50m	1,3	581411000
镀锌对拉杆 20.0mm 0.75m	1,9	581417000
镀锌对拉杆 20.0mm 1.00m	2,5	581412000
镀锌对拉杆 20.0mm 1.25m	3,2	581418000
镀锌对拉杆 20.0mm 1.50m	3,8	581413000
镀锌对拉杆 20.0mm 2.00m	5,0	581414000
镀锌对拉杆 20.0mmm	2,5	581410000
普通对拉杆 20.0mm 0.50m	1,3	581405000
普通对拉杆 20.0mm 0.75m	1,9	581416000
普通对拉杆 20.0mm 1.00m	2,5	581406000
普通对拉杆 20.0mm 1.50m	3,8	581407000
普通对拉杆 20.0mm 2.00m	5,0	581408000
普通对拉杆 20.0mmm	2,5	581403000
Tie rod 20.0mm		



DIN
18216

翼形螺母 20.0
Wing nut 20.0

镀锌
长度: 11 cm
高度: 6 cm
对边宽度: 36 mm

0,47 581466000


DIN
18216

六角螺帽 20.0
Hexagon nut 20.0

镀锌
长度: 7 cm
对边宽度: 41 mm

0,60 581420000

DIN
18216

锚固盘 20.0 12/12
Anchor plate 20.0 12/12

镀锌

1,7 581425000


DIN
18216

拉结盘 20.0 B
Super plate 20.0 B

镀锌
高度: 7 cm
直径: 14 cm
对边宽度: 34 mm


2,0 581424000

DIN
18216

Framax 连接翼母 20.0
Framax combination nut 20.0


镀锌
宽度: 27 cm

6,1 588683000

Framax 锚定螺母 20.0
Framax form-tie nut 20.0


镀锌
宽度: 19 cm

3,6 588687000

Top100 tec 锚定螺母 20.0
Top100 tec form-tie nut 20.0

镀锌
高度: 25 cm

4,8 586934000

卸载螺母 20.0
Quick-release nut 20.0

镀锌
长度: 22 cm
请遵守安装说明!


5,9 581428000

猪尾巴筋 20.0
She-bolt 20.0

镀锌
长度: 140 cm
直径: 5 cm
对边宽度: 41 mm

5,6 581435000


DIN
18216

锚固锥 20.0
Anchoring cone 20.0

镀锌
长度: 15 cm
直径: 5 cm
工具: 定位锥的开口扳手 20.0


1,0 581437000

DIN
18216

防水套筒 20.0
Sealing sleeve 20.0


灰色
长度: 16 cm
直径: 5 cm

0,03 581441000

止水装置连接件 20.0
Water stop connector 20.0

未处理
长度: 14 cm

1,3 581467000

止水装置 20.0 33cm
Water stop 20.0 33cm

未处理
长度: 33 cm
直径: 8 cm
可以根据特殊零部件编号 580100000
定制长度, 请提供具体组件的名称以
及要求的长度 (单位: mm)。

1,7 581426000

通用爬升锥 20.0
Universal climbing cone 20.0

镀锌
长度: 13 cm
直径: 5 cm
工具: 万能锥扳手 15.0/20.0

1,2 581442000

红头螺栓 B 7cm
Cone screw B 7cm

红色
长度: 10 cm
直径: 7 cm
对边宽度: 50 mm

0,86 581444000

[kg] 产品编号


[kg] 产品编号

防水套筒 K 20.0
Sealing sleeve K 20.0

0,03 581443000

止动埋件 20.0 40cm
Stop anchor 20.0 40cm

1,2 581458000

黄绿色
长度: 12 cm
直径: 6 cm

未处理

纤维混凝土盖 27mm
纤维混凝土盖 35mm
纤维混凝土盖 40mm
Fibre concrete plug

0,03 581473000

0,11 588923000

0,14 588924000

可焊套筒 20.0
Weldable coupler 20.0

0,55 581474000



灰色

未处理
长度: 8 cm
直径: 4 cm
请遵守安装说明!混凝土锚固锥 52mm
Concrete cone 52mm

0,19 581939000

岩石锚固铺散构件 20.0
Rock anchor spreader unit 20.0

1,3 581468000





灰色

镀锌
长度: 11,9 cm
直径: 5,7 cm
请遵守安装说明!清水混凝土定位锥 MF 20.0
Fair-faced concrete positioning cone MF 20.0

1,3 581469000

型张拉仪 300kN
Tensioning instrument 300kN

32,0 581815000

镀锌
长度: 12,6 cm
直径: 5,3 cm
工具: 万能锥扳手 15.0/20.0

镀锌

定位盘 M30
Positioning disk M30


0,25 581975000

镀锌
直径: 9 cm定位夹 M30
Positioning clamp M30

0,19 581833000

塑料管 26mm 2.00m
Plastic tube 26mm 2.00m


0,59 581463000

镀锌
直径: 4 cm猪尾巴埋筋 20.0
Pigtail anchor 20.0

2,0 581450000

通用锥 26mm
Universal cone 26mm

0,008 581464000

未处理
长度: 76 cm灰色
直径: 5 cm填补盖 26mm
Plug 26mm

0,006 581465000

止动埋件 20.0 11.5cm
Stop anchor 20.0 11.5cm

0,88 581456000

纤维混凝土管 27mm 1.25m
Fibre concrete tube 27mm 1.25m

2,6 581472000



未处理



灰色

止动埋件 20.0 17.5cm
Stop anchor 20.0 17.5cm


0,62 581457000



锚固锥扳手 20.0
Cone spanner 20.0

3,5 581471000





未处理






镀锌
长度: 57 cm

对拉杆扳手 15.0/20.0
Tie rod wrench 15.0/20.0**1,9 580594000**镀锌
长度: 37 cm
直径: 8 cm**六角螺帽 26.5**
Hexagon nut 26.5**0,73 581985000**镀锌
长度: 8 cm
对边宽度: 46 mm**DIN**
18216**埋锥扳手 15.0/20.0**
Universal cone spanner 15.0/20.0**0,90 581448000**镀锌
长度: 9 cm
对边宽度: 50 mm**锚固盘 26.5**
Anchor plate 26.5**3,4 581986000**镀锌
长度: 15 cm
宽度: 12 cm**DIN**
18216**环形扳手 70**
Slugging ring spanner 70**2,6 581429000**


长度: 32 cm

**通用爬升锥 26.5**
Universal climbing cone 26.5**1,1 581987000**镀锌
长度: 12,6 cm
直径: 5 cm
工具: 万能锥扳手 15.0/20.0**锚固托架 20.0**
Anchor holder 20.0**0,43 581427000**


未处理

**红头螺栓 B 7cm**
Cone screw B 7cm**0,86 581444000**红色
长度: 10 cm
直径: 7 cm
对边宽度: 50 mm**防水套筒 K 26.5**
Sealing sleeve K 26.5**0,02 581998000**浅蓝色
长度: 12 cm
直径: 6 cm**清洁锚锥 20.0**
Clearance cone 20.0**0,49 581866000**黑色
黄色
长度: 20,6 cm
直径: 7 cm
请遵守安装说明!**杆件连接 26.5**
Rod connector 26.5**1,4 581988000**未处理
长度: 15 cm
对边宽度: 46 mm**DIN**
18216**爬锥拆除工具**
Clearance-cone dismantling tool**0,67 581864000**镀锌
长度: 10,7 cm
对边宽度: 24 mm**猪尾巴埋筋 26.5**
Pigtail anchor 26.5**3,6 581900000**未处理
长度: 80 cm**对拉钢筋承载数值显示器 300kN**
Form-tie load read-off device 300kN**12,8 581834500**

镀锌

**塑料管 32mm 2.00m**
Plastic tube 32mm 2.00m**0,60 581460000**

直径: 4 cm

**对拉杆系统 26.5****普通对拉杆 26.5mmm**
Tie rod 26.5mm non-treatedm**4,5 581883000****DIN**
18216**通用锥 32mm**
Universal cone 32mm**0,008 581461000**灰色
直径: 5 cm**埋锥扳手 15.0/20.0**
Universal cone spanner 15.0/20.0**0,90 581448000**镀锌
长度: 9 cm
对边宽度: 50 mm

混凝土锚固锥 52mm
Concrete cone 52mm


0,19 581939000



灰色

直角扳手 32.0
Square spanner 32.0


5,3 582918000



镀锌
长度: 59 cm

对拉杆扳手 20.0/26.5
Tie rod wrench 20.0/26.5

1,7 580593000



镀锌
长度: 37 cm
直径: 8 cm

锚固托架 26.5
Anchor holder 26.5


0,43 581943000



未处理

清洁锚锥 26.5
Clearance cone 26.5


0,46 581867000



黑色
灰色
长度: 20,6 cm
直径: 7 cm
请遵守安装说明!

爬锥拆除工具
Clearance-cone dismantling tool

0,67 581864000



镀锌
长度: 10,7 cm
对边宽度: 24 mm

对拉杆系统 32.0

普通对拉杆 32.0mmm
Tie rod 32.0mm non-treatedm

6,5 582914000



六角螺帽 32.0
Hexagon nut 32.0


1,8 582915000



未处理
长度: 9 cm
对边宽度: 55 mm

锚固盘 32.0
Anchor plate 32.0

4,1 582916000



未处理
长度: 15 cm
宽度: 15 cm

锚固锥 32.0
Anchoring cone 32.0

7,7 582917000



镀锌
长度: 22,5 cm
直径: 10 cm